

(2006 年)

- 1) Shintani Y, Takashima S, Asano Y, Kato H, Liao Y, Yamazaki S, Tsukamoto O, Seguchi O, Yamamoto H, Fukushima T, Sugahara K, Kitakaze M, Hori M.  
Glycosaminoglycan modification of neuropilin-1 modulates VEGFR2 signaling.  
*EMBO J.* 2006 Jul 12;25(13):3045-55. Epub 2006 Jun 8. PMID: 16763549; PMCID: PMC1500974.
- 2) Liao Y, Takashima S, Zhao H, Asano Y, Shintani Y, Minamino T, Kim J, Fujita M, Hori M, Kitakaze M.  
Control of plasma glucose with alpha-glucosidase inhibitor attenuates oxidative stress and slows the progression of heart failure in mice.  
*Cardiovasc Res.* 2006 Apr 1;70(1):107-16. Epub 2006 Feb 28. PMID: 16510136.
- 3) Asanuma H, Minamino T, Ogai A, Kim J, Asakura M, Komamura K, Sanada S, Fujita M, Hirata A, Wakeno M, Tsukamoto O, Shinozaki Y, Myoishi M, Takashima S, Tomoike H, Kitakaze M.  
Blockade of histamine H2 receptors protects the heart against ischemia and reperfusion injury in dogs.  
*J Mol Cell Cardiol.* 2006 May;40(5):666-74. Epub 2006 Apr 17. PMID: 16603184.
- 4) Fujita M, Okuda H, Tsukamoto O, Asano Y, Hirata YL, Kim J, Miyatsuka T, Takashima S, Minamino T, Tomoike H, Kitakaze M.  
Blockade of angiotensin II receptors reduces the expression of receptors for advanced glycation end products in human endothelial cells.  
*Arterioscler Thromb Vasc Biol.* 2006 Oct;26(10):e138-42. Epub 2006 Aug 3. PMID: 16888237.
- 5) Hirata A, Minamino T, Asanuma H, Fujita M, Wakeno M, Myoishi M, Tsukamoto O, Okada K, Koyama H, Komamura K, Takashima S, Shinozaki Y, Mori H, Shiraga M, Kitakaze M, Hori M.  
Erythropoietin enhances neovascularization of ischemic myocardium and improves left ventricular dysfunction after myocardial infarction in dogs.  
*J Am Coll Cardiol.* 2006 Jul 4;48(1):176-84. Epub 2006 Jun 21. PMID: 16814664.
- 6) Okazaki H, Minamino T, Tsukamoto O, Kim J, Okada K, Myoishi M, Wakeno M, Takashima S, Mochizuki N, Kitakaze M.  
Angiotensin II type 1 receptor blocker prevents atrial structural remodeling in rats with hypertension induced by chronic nitric oxide inhibition.  
*Hypertens Res.* 2006 Apr;29(4):277-84. PMID: 16778335.
- 7) Takahama H, Minamino T, Hirata A, Ogai A, Asanuma H, Fujita M, Wakeno M, Tsukamoto O, Okada K, Komamura K, Takashima S, Shinozaki Y, Mori H, Mochizuki N, Kitakaze M.  
Granulocyte colony-stimulating factor mediates cardioprotection against ischemia/reperfusion injury via phosphatidylinositol-3-kinase/Akt pathway in canine hearts.  
*Cardiovasc Drugs Ther.* 2006 Jun;20(3):159-65. PMID: 16775664.
- 8) Wakeno M, Minamino T, Seguchi O, Okazaki H, Tsukamoto O, Okada K, Hirata A, Fujita M, Asanuma H, Kim J, Komamura K, Takashima S, Mochizuki N, Kitakaze M.  
Long-term stimulation of adenosine A2b receptors begun after myocardial infarction prevents cardiac remodeling in rats.  
*Circulation.* 2006 Oct 31;114(18):1923-32. Epub 2006 Oct 16. PMID: 17043167.
- 9) Tsukamoto O, Minamino T, Sanada S, Okada K, Hirata A, Fujita M, Shintani Y, Yulin L, Asano Y, Takashima S, Yamasaki S, Tomoike H, Hori M, Kitakaze M.  
The antagonism of aldosterone receptor prevents the development of hypertensive heart failure induced by chronic inhibition of nitric oxide synthesis in rats.  
*Cardiovasc Drugs Ther.* 2006 Apr;20(2):93-102. PMID: 16761190.

10) Tsukamoto O, Minamino T, Okada K, Shintani Y, Takashima S, Kato H, Liao Y, Okazaki H, Asai M, Hirata A, Fujita M, Asano Y, Yamazaki S, Asanuma H, Hori M, Kitakaze M.  
Depression of proteasome activities during the progression of cardiac dysfunction in pressure-overloaded heart of mice.

**Biochem Biophys Res Commun.** 2006 Feb 24;340(4):1125-33. Epub 2005 Dec 28. PMID: 16403436.

(2005 年)

1) Li Y, Minamino T, Tsukamoto O, Yujiri T, Shintani Y, Okada K, Nagamachi Y, Fujita M, Hirata A, Sanada S, Asanuma H, Takashima S, Hori M, Johnson GL, Kitakaze M.

Ablation of MEK kinase 1 suppresses intimal hyperplasia by impairing smooth muscle cell migration and urokinase plasminogen activator expression in a mouse blood-flow cessation model.

**Circulation.** 2005 Apr 5;111(13):1672-8. Epub 2005 Mar 28. PMID: 15795331.

2) Liao Y, Takashima S, Maeda N, Ouchi N, Komamura K, Shimomura I, Hori M, Matsuzawa Y, Funahashi T, Kitakaze M.

Exacerbation of heart failure in adiponectin-deficient mice due to impaired regulation of AMPK and glucose metabolism.

**Cardiovasc Res.** 2005 Sep 1;67(4):705-13. PMID: 15907819.

3) Suto F, Ito K, Uemura M, Shimizu M, Shinkawa Y, Sanbo M, Shinoda T, Tsuboi M, Takashima S, Yagi T, Fujisawa H.

Plexin-a4 mediates axon-repulsive activities of both secreted and transmembrane semaphorins and plays roles in nerve fiber guidance.

**J Neurosci.** 2005 Apr 6;25(14):3628-37. PMID: 15814794.

4) Tsukamoto O, Asanuma H, Kim J, Minamino T, Takashima S, Ogai A, Hirata A, Fujita M, Shinozaki Y, Mori H, Tomoike H, Hori M, Kitakaze M.

A role of opening of mitochondrial ATP-sensitive potassium channels in the infarct size-limiting effect of ischemic preconditioning via activation of protein kinase C in the canine heart.

**Biochem Biophys Res Commun.** 2005 Dec 23;338(3):1460-6. Epub 2005 Oct 26. PMID: 16271703.

5) Hirata A, Minamino T, Asanuma H, Sanada S, Fujita M, Tsukamoto O, Wakeno M, Myoishi M, Okada K, Koyama H, Komamura K, Takashima S, Shinozaki Y, Mori H, Tomoike H, Hori M, Kitakaze M.

Erythropoietin just before reperfusion reduces both lethal arrhythmias and infarct size via the phosphatidylinositol-3 kinase-dependent pathway in canine hearts.

**Cardiovasc Drugs Ther.** 2005 Jan;19(1):33-40. PMID: 15883754.

6) Liao Y, Asakura M, Takashima S, Ogai A, Asano Y, Asanuma H, Minamino T, Tomoike H, Hori M, Kitakaze M.

Benidipine, a long-acting calcium channel blocker, inhibits cardiac remodeling in pressure-overloaded mice.

**Cardiovasc Res.** 2005 Mar 1;65(4):879-88. PMID: 15721868.

7) Liao Y, Asakura M, Takashima S, Kato H, Asano Y, Shintani Y, Minamino T, Tomoike H, Hori M, Kitakaze M.

Amlodipine ameliorates myocardial hypertrophy by inhibiting EGFR phosphorylation.

**Biochem Biophys Res Commun.** 2005 Feb 25;327(4):1083-7. PMID: 15652507.